

# BURDA OVERVIEW <sup>2021</sup>/<sub>2022</sub>

HEATING · COOLING · LIGHTING  
SOUND · MODULAR · CONTROL



SMART HOME  
io-homecontrol® & Somfy Remote



RELAX GLASS COMPACT  
WiFi & Remote, 2000 Watt

RELAX GLASS goes MODULAR  
BT SOUND & LED LIGHT



**Onlineshop:** [www.shop.burdawtg.com](http://www.shop.burdawtg.com)

BURDA WORLDWIDE TECHNOLOGIES GMBH

Rudolf-Diesel-Straße 18 · D-65760 Eschborn · Tel +49 6173 / 324 24 0 · Fax +49 6173 / 324 24 24 · E-Mail [info@burdawtg.de](mailto:info@burdawtg.de) · [www.burdawtg.com](http://www.burdawtg.com)

## io-homecontrol® & SOMFY



90 x 17 x 8 cm



RELAX GLASS **io IP65**

128,6 x 17 x 8 cm



RELAX GLASS **io IP65**

74 x 10 x 12,5 cm



TERM2000 **io IP67**



SOMFY REMOTES

## BLUETOOTH

71 x 10 x 12,5 cm



TERM2000 BLUETOOTH **IP67**

48 x 14,5 x 9,5 cm



SMART BLUETOOTH **IP24**

29 x 126 x 32 cm



SMART TOWER  
BLUETOOTH **IP24**



BURDA APP CONTROL AND REMOTE  
IOS/ANDROID

## RELAX GLASS IP65



74,2 x 13,9 x 11 cm



RELAX GLASS **COMPACT**

90 x 17 x 8 cm



RELAX GLASS

128,6 x 17 x 8 cm



RELAX GLASS **MULTI**

97,8 x 23,1 x 12,3 cm



RELAX GLASS **FRAME**

## RELAX GLASS MODULAR

90 x 17 x 8 cm



RELAX GLASS **SOUND**

90 x 17 x 8 cm



RELAX GLASS **LIGHT**

90 x 17 x 8 cm



RELAX GLASS **BLENDE**

10 x 17 x 8 cm



RELAX GLASS **DISTANCE**



RELAX GLASS **CONNECTOR**



RELAX GLASS **DÜSE/NOZZLE**



RELAX GLASS **STAND**

## RELAX DARK



158 x 20,1 x 5,8 cm

RELAX DARK **IRC IP55\***



212 x 25 x 7 cm

# TERM2000 MODULAR SYSTEMS



100 x 9,5 x 12,5 cm



100 cm - 2 x 3,5 W LED

M 1

100 cm - 1 x 2 kW Heizstrahler/Heater

M 2

100 cm - 2 x 3,5 W LED + 1 x 2 kW Heizstrahler/Heater

M 3



## TERM2000

45/61 x 9,5 x 12,5 cm



TERM2000 IP67

46,4/51 x 9,5 x 12,5 cm



TERM2000 IP44

60 x 29 x 12,5 cm



123,5 x 9,5 x 12,5 cm

TERM2000 MULTI IP67

110 x 250-270 cm



TERM TOWER PALMS IP67

## TERM2000 LIGHT & HEAT


78/82,5 x 9,5 x 12,5 cm



TERM2000 L&H FIX IP65

TERM2000 L&H IP65

200 x 9,5 x 12,5 cm



TERM2000 L&H XL IP65

## SMART

48 x 14,5 x 9,5 cm



SMART IP24

60 x 32,5 x 10 cm



SMART FRAME IP24

29 x 126 x 32 cm



SMART TOWER IP24

89,5/129 x 14,5 x 9,5 cm



SMART MULTI IP24

## PERFECTCLIME®



70 x 9,5 x 12,5 cm

PERFECTCLIME® TERM2000 IP67

87/91/22 x 9,5 x 12,5 cm



PERFECTCLIME® TERM2000 L&H IP65



PERFECTCLIME® COOLING BASIC SET

## CONTROL

DIMMER



BLUETOOTH DIMMER IP65



BHC 4002/BHC 6003



BHC 4001/BHC 6001

MOTION DETECTORS/TIMER



TIMER TS2/TS4/TS6



BPIR4



BPIR6



BPIR4T

FUNK/RADIO DIMMER



BRFE20



SOLO BI-DIRECTIONAL



MONO/VARIO BI-DIRECTIONAL

## HEATPANELS & THERMOSTAT



CLASSIC HEAT



BASIC HEAT



THERMOSTAT  
BHC1868\*



THERMOSTAT  
BHCINSTAT+3R\*



THERMOSTAT  
BHCFIT3R\*

\*INDOOR: Für die Nutzung der Heizstrahler in **Innenbereichen** muss zur Erfüllung der EU-Verordnung 2015/1188 zwingend die externe Steuerung BHC1868 (Funk) oder BHCINSTAT+3R (verkabelt) oder BHCFIT3R (verkabelt) oder Gleichwertige verwendet werden. Ansonsten verliert das Gerät die CE-Kennzeichnung.

\*INDOOR: For **indoor use** of all models, the external control BPIRF (wireless), BHCINSTAT+3R (wired) or BHCFIT3R (wired) or equivalent must be used to comply with EU Regulation 2015/1188. Otherwise the device loses the CE mark.

BURDA WORLDWIDE TECHNOLOGIES GMBH

Rudolf-Diesel-Straße 18 · D-65760 Eschborn · Tel +49 6173 /324 24 0 · Fax +49 6173 /324 24 24 · E-Mail info@burdawtg.de · www.burdawtg.com